

# Attestation

## E1-265

Herewith it is confirmed that in the second half of 2023, performed on 22.11.2023, a regular supervision of the product

### Birch plywood EN 636-2

plywood, birch, lignin-phenolic-formaldehyde (LPF), unfaced  
in the thickness range:  $> 12 \text{ mm} \leq 25 \text{ mm}$

manufactured by

**A/S Latvijas Finieris  
mill "Furniers"  
Bauskas iela 59  
1004 Riga  
Latvia**

was carried out by the approved supervision body (NDS08)

### Fraunhofer Institute for Wood Research

Wilhelm-Klauditz-Institut WKI  
Riedenkamp 3, 38108 Braunschweig, Germany

according to supervision contract no. 265 dated February 26, 1999. It was found that the requirements on personal and equipment are suitable to produce the product in an adequate way and the factory production control meets the requirements of the "Regulation on the classification and external supervision of wood-based panels regarding formaldehyde emission (DIBt - Guideline 100)" dated June 1994. This attestation is part of the evaluation report. The continuous external supervision of factory production control shall take place twice a year.



**Dipl.-Ing. Harald Schwab**  
Head of the Testing, Supervision  
and Certifying Body  
**Braunschweig, February 19, 2024**



# Attestation

## E1-501

Herewith it is confirmed that in the second half of 2023, performed on 23.11.2023, a regular supervision of the product

### Birch plywood EN 636-2

plywood, birch, phenolic-formaldehyde (PF), unfaced  
in the thickness range: 12 mm ≤ 25 mm

manufactured by

**Latvijas Finieris AS**  
**subsidiary company RSEZ SIA "VEREMS"**  
**Lejas Ancupani**  
**LV-4604 Veremu parish**  
**Latvia**

was carried out by the approved supervision body (NDS08)

### Fraunhofer Institute for Wood Research

Wilhelm-Klauditz-Institut WKI  
Riedenkamp 3, 38108 Braunschweig, Germany

according to supervision contract no. 501 dated June 12, 2006. It was found that the requirements on personal and equipment are suitable to produce the product in an adequate way and the factory production control meets the requirements of the "Regulation on the classification and external supervision of wood-based panels regarding formaldehyde emission (DIBt - Guideline 100)" dated June 1994. This attestation is part of the evaluation report. The continuous external supervision of factory production control shall take place twice a year.



**Dipl.-Ing. Harald Schwab**  
Head of the Testing, Supervision  
and Certifying Body  
**Braunschweig, February 13, 2024**



# Attestation

## E1-580

Herewith it is confirmed that in the second half of 2023, performed on 22.11.2023, a regular supervision of the product

### Birch Plywood EN 636-1

plywood, birch, melamine-urea-formaldehyde (MUF), unfaced  
in the thickness range:  $> 12 \text{ mm} \leq 25 \text{ mm}$

manufactured by

**A/S Latvijas Finieris  
mill "Furniers"  
Bauskas iela 59  
1004 Riga  
Latvia**

was carried out by the approved supervision body (NDS08)

### Fraunhofer Institute for Wood Research

Wilhelm-Klauditz-Institut WKI  
Riedenkamp 3, 38108 Braunschweig, Germany

according to supervision contract no. 580 dated August 20, 2013. It was found that the requirements on personal and equipment are suitable to produce the product in an adequate way and the factory production control meets the requirements of the "Regulation on the classification and external supervision of wood-based panels regarding formaldehyde emission (DIBt - Guideline 100)" dated June 1994. This attestation is part of the evaluation report. The continuous external supervision of factory production control shall take place twice a year.



**Dipl.-Ing. Harald Schwab**  
Head of the Testing, Supervision  
and Certifying Body  
**Braunschweig, February 19, 2024**



**E1**  
DIBt-Richtlinie 100

Fraunhofer-Gesellschaft zur Förderung  
der angewandten Forschung e. V., Munich

Executive Board  
Prof. Holger Hanselka, President  
Elisabeth Ewen  
Dr. Sandra Krey  
Prof. Axel Müller-Groeling

WKI is a registered mark  
of the Fraunhofer-Gesellschaft

# Attestation

## E1-581

Herewith it is confirmed that in the second half of 2023, performed on 22.11.2023, a regular supervision of the product

### Birch Plywood EN 636-1

plywood, birch, melamine-urea-formaldehyde (MUF), unfaced  
in the thickness range:  $> 12 \text{ mm} \leq 25 \text{ mm}$

manufactured by

**A/S Latvijas Finieris  
mill "Lignums"  
Finiera iela 6  
1016 Riga  
Latvia**

was carried out by the approved supervision body (NDS08)

### Fraunhofer Institute for Wood Research

Wilhelm-Klauditz-Institut WKI  
Riedenkamp 3, 38108 Braunschweig, Germany

according to supervision contract no. 581 dated August 20, 2013. It was found that the requirements on personal and equipment are suitable to produce the product in an adequate way and the factory production control meets the requirements of the "Regulation on the classification and external supervision of wood-based panels regarding formaldehyde emission (DIBt - Guideline 100)" dated June 1994. This attestation is part of the evaluation report. The continuous external supervision of factory production control shall take place twice a year.



**Dipl.-Ing. Harald Schwab**  
Head of the Testing, Supervision  
and Certifying Body  
**Braunschweig, February 13, 2024**



# Attestation

## E1-221

Herewith it is confirmed that in the second half of 2023, performed on 22.11.2023, a regular supervision of the product

### Birch plywood EN 636-2

plywood, birch, phenolic-formaldehyde (PF), unfaced  
in the thickness range:  $> 12 \text{ mm} \leq 25 \text{ mm}$

manufactured by

**A/S Latvijas Finieris  
mill "Lignums"  
Finiera iela 6  
1016 Riga  
Latvia**

was carried out by the approved supervision body (NDS08)

### Fraunhofer Institute for Wood Research

Wilhelm-Klauditz-Institut WKI  
Riedenkamp 3, 38108 Braunschweig, Germany

according to supervision contract no. 221 dated April 11, 1996. It was found that the requirements on personal and equipment are suitable to produce the product in an adequate way and the factory production control meets the requirements of the "Regulation on the classification and external supervision of wood-based panels regarding formaldehyde emission (DIBt - Guideline 100)" dated June 1994. This attestation is part of the evaluation report. The continuous external supervision of factory production control shall take place twice a year.



**Dipl.-Ing. Harald Schwab**  
Head of the Testing, Supervision  
and Certifying Body  
**Braunschweig, February 13, 2024**

